

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/21/2015 Version: 1.0

TECHNICAL CONCEPTS

I.1. Product identifier	
Product name	: LINEN FRESH STD AEROSOL
Product code	: 1821658
SKU #	: FG4009831
I.2. Relevant identified uses	of the substance or mixture and uses advised against
Jse of the substance/mixture	: Aerosol Air care products Odour agents For professional use only
I.3. Details of the supplier of	the safety data sheet
Rubbermaid Commercial Products L 8124 Valley Avenue Ninchester, VA 22601-2694 - USA Γ (540) 6678700 www.rubbermaidcommercial.com	LC
I.4. Emergency telephone nu	mber
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063

GHS-US classification

Flam. Aerosol 1H222Eye Irrit. 2AH319Skin Sens. 1H317STOT SE 3H336

Full text of H-phrases: see section 16

2.2. Label elements **GHS-US** labelling Hazard pictograms (GHS-US) GHS02 GHS07 Signal word (GHS-US) : Danger Hazard statements (GHS-US) : H222 - Extremely flammable aerosol H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness : P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking Precautionary statements (GHS-US) P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P280 - Wear protective gloves P302+P352 - If on skin: Wash with plenty of water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor if you feel unwell P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F 2.3. **Other hazards**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Acetone	(CAS No) 67-64-1	>= 50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
HEXYLENE GLYCOL	(CAS No) 107-41-5	1 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
ACETYL CEDRENE	(CAS No) 32388-55-9	0,1 - 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZYL SALICYLATE	(CAS No) 118-58-1	0,1 - 1	Skin Sens. 1, H317
hexyl 2-hydroxybenzoate	(CAS No) 6259-76-3	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
LIMONENE	(CAS No) 5989-27-5	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PINENES	(CAS No) 127-91-3	< 0,1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
GAMMA-TERPINENE	(CAS No) 99-85-4	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304
ALPHA CEDRENE	(CAS No) 469-61-4	< 0,1	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-CARENE	(CAS No) 13466-78-9	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
MYRCENE	(CAS No) 123-35-3	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
BETA-CARYOPHYLLENE	(CAS No) 87-44-5	< 0,1	Asp. Tox. 1, H304
PHELLANDRENES FOR NCS'S	(CAS No) 99-83-2	< 0,1	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304
BETA-FARNESENE	(CAS No) 18794-84-8	< 0,1	Asp. Tox. 1, H304
p-CYMENE	(CAS No) 99-87-6	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Aquatic Chronic 2, H411 Asp. Tox. 1, H304

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. If skin irritation persists, take medical advice. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
05/20/2015	EN (English) 2/11

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Stable under normal conditions of use.
5.3. Advice for firefighters	
Firefighting instructions	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	sures
	uipment and emergency procedures
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove
	ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions Prevent entry to sewers and public waters. Notif	y authorities if liquid enters sewers or public waters.
· ·	
6.3. Methods and material for containmed	
Methods for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.
Precautions for safe handling	No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong bases. Strong acids.
05/20/2015	EN (English) 3/11

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials

: Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

SECTION 8: Exp	oosure controls/personal protection			
.1. Control pa	rameters			
LINEN FRESH STO				
ACGIH	Not applicable	Not applicable		
OSHA	Not applicable	Not applicable		
HEXYLENE GLYC	OL (107-41-5)			
ACGIH	ACGIH Ceiling (ppm)	25 ppm		
ACGIH	Remark (ACGIH)	Eye & URT irr		
OSHA	Not applicable			
Acetone (67-64-1)				
ACGIH	ACGIH TWA (ppm)	200 ppm		
ACGIH	ACGIH STEL (ppm)	500 ppm		
ACGIH	Remark (ACGIH)	eye irr; CNS impair; BEI		
OSHA	OSHA PEL (TWA) (mg/m ³)	2400 mg/m ³		
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm		
LIMONENE (5989-2	27-5)			
ACGIH	Not applicable			
OSHA	Not applicable			
BENZYL SALICYL	ATE (118-58-1)			
ACGIH	Not applicable			
OSHA	Not applicable	Not applicable		
ACETYL CEDREN	E (32388-55-9)			
ACGIH	Not applicable			
OSHA	Not applicable			
hexyl 2-hydroxybe	nzoate (6259-76-3)			
ACGIH	Not applicable			
OSHA	Not applicable			
ALPHA CEDRENE	(460-61-4)			
ACGIH	Not applicable			
OSHA	Not applicable			
PINENES (127-91-3				
ACGIH	Not applicable			
OSHA	Not applicable			
3-CARENE (13466- ACGIH	ACGIH TWA (ppm)	20 ppm		
OSHA	Not applicable	20 20 20		
GAMMA-TERPINE				
ACGIH	Not applicable			
OSHA	Not applicable			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MVDCENE (402.25.2)			
MYRCENE (123-35-3) Acgih	Not applicable		
OSHA	Not applicable		
BETA-CARYOPHYLLENE (87	7-44-5)		
ACGIH	Not applicable		
OSHA	Not applicable		
p-CYMENE (99-87-6) ACGIH	Not applicable		
OSHA	Not applicable		
PHELLANDRENES FOR NCS	5'S (99-83-2)		
ACGIH	Not applicable		
OSHA	Not applicable		
BETA-FARNESENE (18794-8	4-8)		
ACGIH	Not applicable		
OSHA	Not applicable		
.2. Exposure controls			
ppropriate engineering controls	3 :	Provide local exhaust or general room ventilation to minimize mist and/or vapour	
		concentrations.	
ersonal protective equipment	:	Avoid all unnecessary exposure.	
land protection		Wear protective gloves.	
ye protection		None under normal use.	
espiratory protection	:	None under normal use.	
ther information	:	Do not eat, drink or smoke during use.	
SECTION 9: Physical an	d chemical pro	nartias	
.1. Information on basic			
hysical state		Liquid	
ppearance		Clear Transparent Liquid.	
Colour	:	colourless to slightly yellow	
)dour	:	characteristic	
dour threshold	:	No data available	
H			
11	:	No data available	
elative evaporation rate (butyla		No data available No data available	
elative evaporation rate (butyla	acetate=1) :		
elative evaporation rate (butyla lelting point	acetate=1) :	No data available	
	acetate=1) :	No data available No data available	
elative evaporation rate (butyla lelting point reezing point	acetate=1) :	No data available No data available No data available	
elative evaporation rate (butyla felting point reezing point foiling point	acetate=1) : ; ; ;	No data available No data available No data available No data available	
elative evaporation rate (butyla lelting point reezing point oiling point lash point uto-ignition temperature	acetate=1) : ; ; ; ;	No data available No data available No data available No data available No data available	
elative evaporation rate (butyla lelting point reezing point oiling point lash point uto-ignition temperature ecomposition temperature	acetate=1) : : : : : :	No data available No data available No data available No data available No data available No data available	
elative evaporation rate (butyla lelting point reezing point oiling point lash point uto-ignition temperature ecomposition temperature lammability (solid, gas)	acetate=1) : : : : : : : : :	No data available No data available No data available No data available No data available No data available No data available	
elative evaporation rate (butyla lelting point reezing point oiling point lash point uto-ignition temperature ecomposition temperature lammability (solid, gas) apour pressure	acetate=1) : : : : : : : : : : : :	No data available No data available No data available No data available No data available No data available No data available Extremely flammable aerosol	
Relative evaporation rate (butyla Aelting point reezing point colling point lash point luto-ignition temperature Decomposition temperature lammability (solid, gas) apour pressure Relative vapour density at 20 °C	acetate=1) : : : : : : : : : : : : : : :	No data available No data available No data available No data available No data available No data available No data available Extremely flammable aerosol 4,5 - 5,5 bar	
elative evaporation rate (butyla lelting point reezing point oiling point lash point uto-ignition temperature ecomposition temperature lammability (solid, gas) apour pressure telative vapour density at 20 °C telative density	acetate=1) : : : : : : : : : : : : : : : : : : :	No data available No data available No data available No data available No data available No data available No data available Extremely flammable aerosol 4,5 - 5,5 bar No data available	
elative evaporation rate (butyla lelting point reezing point coiling point lash point	acetate=1) :	No data available No data available No data available No data available No data available No data available No data available Extremely flammable aerosol 4,5 - 5,5 bar No data available 0,7	
elative evaporation rate (butyla lelting point reezing point oiling point lash point uto-ignition temperature ecomposition temperature lammability (solid, gas) apour pressure lelative vapour density at 20 °C elative density olubility og Pow	acetate=1) : : : : : : : : : : : : : : : : : : :	No data available No data available No data available No data available No data available No data available No data available Extremely flammable aerosol 4,5 - 5,5 bar No data available 0,7 No data available	
elative evaporation rate (butyla lelting point reezing point oiling point lash point uto-ignition temperature lecomposition temperature lammability (solid, gas) apour pressure elative vapour density at 20 °C elative density olubility	acetate=1) : : : : : : : : : : : : : : : : : : :	No data available No data available No data available No data available No data available No data available No data available Extremely flammable aerosol 4,5 - 5,5 bar No data available 0,7 No data available No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive properties	: No data available
Oxidising properties	: No data available
Everland valles ite	· 1.9 10 vol 9/

Explosive limits : 1,8 - 19 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

ACETYL CEDRENE (32388-55-9)	
LD50 oral rat	≈ 5200 mg/kg
LD50 dermal rabbit	≈ 500 mg/kg
hexyl 2-hydroxybenzoate (6259-76-3)	
LD50 oral rat	> 5000 mg/kg

PHELLANDRENES FOR NCS'S (99-83-2)	
ATE US (oral)	500,000 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	 Not classified Based on available data, the classification criteria are not met May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.

SECTION 12: Ecological information

12.1.	Toxicity
-------	----------

HEXYLENE GLYCOL (107-41-5)	
LC50 fish 1	> 1000 mg/l
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l
Acetone (67-64-1)	
LC50 fish 1	5540 mg/l
EC50 other aquatic organisms 1	3400 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	12600 mg/l IC50 algea (72 h) mg/l

12.2. Persistence and degradability		
LINEN FRESH STD AEROSOL		
Persistence and degradability	Not established.	
Acetone (67-64-1)		
Persistence and degradability	Not established.	

12.3. Bioaccumulative potential		
LINEN FRESH STD AEROSOL		
Bioaccumulative potential	Not established.	
Acetone (67-64-1)		
Bioaccumulative potential	Not established.	

Mobility in soil 12.4.

Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
13.1. Waste treatment methods	
SECTION 13: Disposal considera	tions
Other information	: Avoid release to the environment.
Effect on the global warming	: No known ecological damage caused by this product.
Effect on ozone layer	: None to our knowledge
12.5. Other adverse effects	

Safety Data Sheet

Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with DOT	
Transport document description	: UN1950 Aerosols, 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Transport hazard class(es) (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	: UN 1950 AEROSOLS, 2.1, (D)
Class (ADR)	: 2 - Gases
Classification code (ADR)	: 5F
Danger labels (ADR)	2.1 - Flammable gases
Tunnel restriction code (ADR)	: D
LQ	: 11
Excepted quantities (ADR)	: E0
Transport by sea	
UN-No. (IMDG)	: 1950
UN-No. (IMDG) Proper Shipping Name (IMDG)	: 1950 : AEROSOLS
Class (IMDG)	: AEROSOLS : 2 - Gases
	. 2 - 00303
	. 4050
UN-No. (IATA)	: 1950
	A successful discussion of the
Proper Shipping Name (IATA) Class (IATA)	: Aerosols, flammable : 2

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information
15.1. US Federal regulations
HEXYLENE GLYCOL (107-41-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
Acetone (67-64-1)
Listed on United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
LIMONENE (5989-27-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
BENZYL SALICYLATE (118-58-1)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
ACETYL CEDRENE (32388-55-9)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
hexyl 2-hydroxybenzoate (6259-76-3)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
ALPHA CEDRENE (469-61-4)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
PINENES (127-91-3)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
3-CARENE (13466-78-9)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
GAMMA-TERPINENE (99-85-4)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
MYRCENE (123-35-3)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
BETA-CARYOPHYLLENE (87-44-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
p-CYMENE (99-87-6)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
PHELLANDRENES FOR NCS'S (99-83-2)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
BETA-FARNESENE (18794-84-8)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
15.2 International regulations

15.2. International regulations

CANADA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1H222;H229Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 3H412Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

HEXYLENE GLYCOL (107-41-5)

U.S. -New York - RTK list Hazardous Substances

Acetone (67-64-1)

U.S. -New York - RTK list Hazardous Substances

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Other information

: REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ext of H-phrases:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Aerosol 1	Flammable aerosols, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product